Canadian Journal of Anesthesia

Index of Authors

Volume 52, December 2005

Note: Abstracts and refresher course outlines in the June *Annual Meeting Supplement* are not included in this index.

A

Abdelhaleem M. See *Crawford MW*, jt. auth.
Abe H. See *Yamashita K*, jt. auth.
Ablett D. See *Reuben SS*, jt. auth.
Abrahamov A. See *Ioscovich A*, jt. auth.
Abud TMV, Braz JRC, Martins RHG, Gregório EA, Saldanha JC, Raiza ACP. The Lanz® endotracheal tube decreases tracheal injury in dogs, 878
Adaimé C. See *Madi-Jebara S*, jt. auth.
AFSSaPS Expert Group. See *Samama CM*, jt. auth.
Agarwal A. See *Pandey CK*, jt. auth.
Agrò F, Carassiti M, Magnani C, Alfery D. Airway control via the CobraPLA™ during percutaneous dilatational tracheotomy in five patients, 418
Ahn HJ. See *Kim JA*, jt. auth.
Akatu M. See *Saitoh Y*, jt. auth.
Akihiro T. See *Saito S*, jt. auth.
Alameddine M. See *Taha S*, jt. auth.
Albi A. See *Rosencher N*, jt. auth.
Albrecht S. See *Schmidt J*, jt. auth.
Alfery D. See *Agrò F*, jt. auth.
Alkaissi A, Ledin T, Odkvist LM, Kalman S. P6 acupressure increases tolerance to nauseogenic motion stimulation in women at high risk for PONV, 703
Allan J. See *Baxter AD*, jt. auth.
Altier N. See *Veillette Y*, jt. auth.
Amadeo RJ. See *Jacobsohn E*, jt. auth.
Amano K. See *Okutomi T*, jt. auth.
Ames WA, Hayes JA, Pétroz GC, Roy WL. Loss of resistance to normal saline is preferred to identify the epidural space: a survey of Canadian pediatric anesthesiologists, 607
Ames WA, Shichor TM, Speakman M, Zuker RM, McCaul C. Anesthetic management of children with Moebius sequence, 837
Angle P, Tang SLT, Thompson D, Szalai JP. Expectant management of postdural puncture headache increases hospital length of stay and emergency room visits, 397
Ansermino M. See *Brooks P*, jt. auth.
Antakly M-C. See *Madi-Jebara S*, jt. auth.
Aperce M. See *Rosencher N*, jt. auth.
Apfel CC. See *Rüsch D*, jt. auth.
Ashbury T. See *Engen DA*, jt. auth.
Avidan M. See *Jacobsohn E*, jt. auth.
Ayoub CM. See *Baraka AS*, jt. auth.

B

Babineau D. See *Reeve BK*, jt. auth.
Bae JH. See *Sung E-G*, jt. auth.
Bahk J-H. See *Yoon T-G*, jt. auth.
Balmer C. See *Weiss M*, jt. auth.
Bangalia SK. See *Batra YK*, jt. auth.
Baraka A. See *Taha S*, jt. auth.
Baraka AS, Ayoub CM, Yazbeck-Karam V, Kaddoum RN, Gerges FJ, Hadi UM, Dagher CM. Prophylactic methylene blue in a patient with congenital methemoglobinemia, 258
Barnoud D. See *Pavese P*, jt. auth.
Barré J. See *Rosencher N*, jt. auth.
Bart BB. See *Ewen A*, jt. auth.
Basile F. See *Hemmerling TM*, jt. auth.
Batra YK, Mahajan R, Bangalia SK, Nagi ON, Dhillon MS. Bupivacaine/ketamine is superior to intra-articular ketamine analgesia following arthroscopic knee surgery, 832
Batra YK. See also *Jarbo K*, jt. auth.
Baudet B. See *Corkey WB*, jt. auth.
Bauersfeld U. See *Weiss M*, jt. auth.
Baumert J-H. See *Kunitz O*, jt. auth.
Bava E. See *Magillo P*, jt. auth.
Baxter AD, Allan J, Bedard J, Malone-Tucker S, Slivar S, Langill M, Perreault M, Jansen O. Adherence to simple and effective measures reduces the incidence of ventilator-associated pneumonia, 535
Beaubien J. See *Pavese P*, jt. auth.
Becker T. See *Kunitz O*, jt. auth.
Bedard J. See *Baxter AD*, jt. auth.
Beilin B, Grinevich G, Yardeni IZ, Bessler H. Tramadol does not impair the phagocytic capacity of human peripheral blood cells, 1035

Bell D. See *Jacobsohn E*, jt. auth.
Bell DD, Brindley PG, Forrest D, Muslim OA, Zygun D. Management following resuscitation from cardiac arrest: recommendations from the 2003 Rocky Mountain Critical Care Conference, 309
Ben Ammar MS. The skills exodus – being bled dry!, 236
Berger F. See *Weiss M*, jt. auth.
Bessler H. See *Beilin B*, jt. auth.
Bhatnagar N. See *Bhatnagar S*, jt. auth.
Bhatnagar S, Mishra S, Jha RR, Singhal AK, Bhatnagar N. The LMA Fastrach™ facilitates fibreoptic intubation in oral cancer patients, 641
Bhutani M, Ralph E, Sharpe MD. Acute paralysis following "a bad potato": a case of botulism, 433
Biedler A. See *Rüsch D*, jt. auth.
Bishop MJ. See *Cooper RM*, jt. auth.
Bock M, Hohlfeld U, von Engelu K, Meier PA, Motsch J, Tasman AJ. The accuracy of a new infrared ear thermometer in patients undergoing cardiac surgery, 1083
Bocquet JD, N'takpe N, Draganescu C, Ridarch A, Jullien YR. Le bloc coracoïdien : mise en evidence d'une voie d'abord simple utilisant le petic pectoral [The coracoid block: demonstration of a simple approach using the pectoralis minor as landmark], 1040
Bode CO. See *Merah NA*, jt. auth.
Bonadona A. See *Pavese P*, jt. auth.
Borger MA. See *Wasowicz M*, jt. auth.
Boudreault D. See *Collins S*, jt. auth.
Boudreaux AM. See *Boyce JR*, jt. auth.
Boyce JR, Peters GE, Carroll WR, Magnuson JS, McCrory A, Boudreaux AM. Preemptive vessel dilator cricothyrotomy aids in the management of upper airway obstruction, 765
Braz JRC. See *Abud TMV*, jt. auth.
Brimacombe JR. See *Kihara S*, jt. auth.
Brindley PG. See *Bell DD*, jt. auth.; *Penner RM*, jt. auth.
Briskin A. See *Ioscovich A*, jt. auth.
Brooks P, Ree R, Rosen D, Ansermino M. Canadian pediatric anesthesiologists prefer inhalational anesthesia to manage difficult airways: a survey, 285
Brooks TS. See *Cook TM*, jt. auth.
Buckley DN. See *Reeve BK*, jt. auth.
Buggy DJ. See *Rohan D*, jt. auth.
Burkle CM, Walsh MT, Harrison BA, Curry TB, Rose SH. Airway management after failure to intubate by direct laryngoscopy: outcomes in a large teaching hospital, 634
Burmeister MA. See *Freitag M*, jt. auth.

C

Campus R. See *Magillo P*, jt. auth.
Carassiti M. See *Agrò F*, jt. auth.
Carli F. See *Wieczorek PM*, jt. auth.
Caron M-J. See *Collins S*, jt. auth.
Carroll WR. See *Boyce JR*, jt. auth.
Castanelli DJ, Splinter WM, Clavel NA. Remifentanil decreases sevoflurane requirements in children, 1064
Castano ED. See *Peng PWH*, jt. auth.
Chan VWS. See *Porter JM*, jt. auth.
Chang H-C. See *Shih C-J*, jt. auth.
Chang H-W. See *Yoon T-G*, jt. auth.
Chang KC. See *Shin I-W*, jt. auth.
Chaput A. See *Goldszmidt E*, jt. auth.
Chassery C, Gilbert M-L, Minville V, Gris C, Samii K. La neurostimulation n'augmente pas le taux de succès du bloc du nerf saphène [Neurostimulation does not increase the success rate of saphenous nerve blocks], 269
Cho H-S. See *Kim J-T*, jt. auth.
Choi JH, Lee J, Park CM. Magnesium therapy improves thromboelastographic findings before liver transplantation: a preliminary study, 156
Choinière M. See *Veillette Y*, jt. auth.
Chouinard P. See *Collins S*, jt. auth.
Chung DC. See *Ho AMH*, jt. auth.
Chung F, Imasogie N, Ho J, Ning X, Prabhu A, Curti B. Frequency and implications of ambulatory surgery without a patient escort, 1022
Chung F. See also *Ward B*, jt. auth.; *Yogendran S*, jt. auth.; *Yuan H*, jt. auth.
Chung Y-K. See *Shin I-W*, jt. auth.
Cimino L. See *Katz RI*, jt. auth.
Clarke D. See *Snider DD*, jt. auth.
Clarke M. See *Cook TM*, jt. auth.
Clavel NA. See *Castanelli DJ*, jt. auth.
Coburn M. See *Kunitz O*, jt. auth.
Cohen SP, Kent C. Pronounced unexplained preoperative tachycardia heralding serious cardiac events: a series of three cases, 858
Collins S, Girard F, Boudreault D, Chouinard P, Normandin L, Couture P, Caron M-J, Ruel M. Esophageal Doppler and thermodilution are not interchangeable for determination of cardiac output, 978

Cook DJ. See *Reeve BK*, jt. auth.
Cook TM, Brooks TS, Van der Westhuizen J, Clarke M. The Proseal™ LMA is a useful rescue device during failed rapid sequence intubation: two additional cases, 630
Cook TM, Lee G, Nolan JP. The ProSeal™ laryngeal mask airway: a review of the literature, 739
Cooper RM, Pacey JA, Bishop MJ, McCluskey SA. Early clinical experience with a new videolaryngoscope (GlideScope®) in 728 patients, 191
Corkey WB, Phillips-Bute B, Baudet B, Mathew JP, Newman MF, Grocott HP. Brief report: The declining incidence of cerebral hyperthermia during cardiac surgery: a seven-year experience in 6,334 patients, 626
Cortinez LI, Somma J, Robertson KM, Keifer JC, Wright DR, Hsu Y-W, MacLeod DB, Moretti EW. Changes in hematocrit based on incremental blood sampling: mathematical models perform poorly, 374
Couture P. See *Collins S*, jt. auth.
Cox RG. See *Ewen A*, jt. auth.
Crawford MW, Galton S, Abdelhaleem M. Preoperative screening for sickle cell disease in children: clinical implications, 1058
Critchley LAH. See *Ho AMH*, jt. auth.
Crowley S. See *Rohan D*, jt. auth.
Curry TB. See *Burkle CM*, jt. auth.
Curti B. See *Chung F*, jt. auth.
Czeslick EG. See *Sablotzki A*, jt. auth.

D

Dagher CM. See *Baraka AS*, jt. auth.
Dahabra C. See *Taha S*, jt. auth.
Davey R. See *Karkouti K*, jt. auth.
Davies SA. See *Ewen A*, jt. auth.
Dayer P. See *Samer CF*, jt. auth.
Debrouwere RG. See *Jacobsohn E*, jt. auth.
Della Rocca M. See *Magillo P*, jt. auth.
Denault AY. See *Taillefer M-C*, jt. auth.
Deschamps S. See *Michaud G*, jt. auth.
Desmeules JA. See *Samer CF*, jt. auth.
Dethling J. See *Rüsch D*, jt. auth.
Dexter F, Macario A, Epstein RH, Ledolter J. Validity and usefulness of a method to monitor surgical services' average bias in scheduled case durations, 935
Dhillon MS. See *Batra YK*, jt. auth.
Dion D. See *Veillette Y*, jt. auth.
Djoudi R. See *Samama CM*, jt. auth.
Dodero P. See *Magillo P*, jt. auth.
Doehn M. See *Monaca E*, jt. auth.
Doig CJ. See *Zygun DA*, jt. auth.
Doufas AG. See *Shih C-J*, jt. auth.
Douglas MJ, Ensworth S. Anesthetic management of the parturient with relapsing polychondritis, 967
Doyle DJ. See *Zura A*, jt. auth.
Draganescu C. See *Bocquet JD*, jt. auth.
Duggan M, Engelberts D, Jankov RP, Worrall JMA, Qu R, Hare GMT, Tanswell AK, Mullen JB, Kavanagh BP. Hypocapnia attenuates mesenteric ischemia-reperfusion injury in a rat model, 262
Dullenkopf A. See *Weiss M*, jt. auth.

E

Eberhart L. See *Rüsch D*, jt. auth.
Edward R. See *Yuan H*, jt. auth.
Elstein D. See *Ioscovich A*, jt. auth.
Engelberts D. See *Duggan M*, jt. auth.
Engen DA, Morewood GH, Ghazar NJ, Ashbury T, VanDenKerkhof EG, Wang L. A demand-based assessment of the Canadian anesthesia workforce – 2002 through 2007, 18
Ensworth S. See *Douglas MJ*, jt. auth.
Epstein RH. See *Dexter F*, jt. auth.
Evans L. See *Karkouti K*, jt. auth.
Ewen A, Cox RG, Davies SA, Luntley JB, Rubin Y, Fick GH, Bart BB. The andle clonus test is not a clinically useful measure of spinal cord integrity in children, 524

F

Fassl J. See *Kunitz O*, jt. auth.
Fassoulaki A, Skouteri I, Siafaka I, Sarantopoulos C. Local application of volatile anesthetics attenuates the response to a mechanical stimulus in humans, 951
Fennelly M. See *McLeod A*, jt. auth.
Fergusson D. See *Hutton B*, jt. auth.
Ferrandiere M. See *Hamard F*, jt. auth.
Ffoulkes-Crabbe DJ. See *Merah NA*, jt. auth.
Fick GH. See *Ewen A*, jt. auth.; *Zygun DA*, jt. auth.
Finegan BA, Rashiq S, McAlister FA, O'Connor P. Selective ordering of preoperative investigations by anesthesiologists reduces the number and cost of tests, 575
Finucane BT, Terblanche OC. Prolonged duration of anesthesia in a patient with multiple sclerosis following paravertebral block, 493
Finucane BT. See also *Snider DD*, jt. auth.
Forrest D. See *Bell DD*, jt. auth.
Fournier R. See *Weber A*, jt. auth.
Fox P. See *Tilak M*, jt. auth.

Freitag M, Standl TG, Gottschalk A, Burmeister MA, Rempf C, Horn EP, Strate T, Schulte am Esch J. Enhanced central organ oxygenation after application of bovine cell-free hemoglobin HBOC-201, 904
Fujii K. See *Yamazaki A*, jt. auth.
Fujii Y, Nakayama M. A lidocaine/metoclopromide combination decreases pain on injection of propofol, 474
Fukuoka K. See *Okutomi T*, jt. auth.
Fusciardi J. See *Hamard F*, jt. auth.

G
Gallagher H. See *Rohan D*, jt. auth.
Galton S. See *Crawford MW*, jt. auth.
Gamulin Z. See *Weber A*, jt. auth.
Garzon J. See *Kardash KJ*, jt. auth.
George RB, Hackett J. Bilateral hearing loss following a retrobulbar block, 1054
Gerber AC. See *Weiss M*, jt. auth.
Gerges FJ. See *Baraka AS*, jt. auth.
Ghannam M. See *Karkouti K*, jt. auth.
Ghazar NJ. See *Engen DA*, jt. auth.
Gibney RTN. See *Jacka MJ*, jt. auth.
Gielen M, Slappendel R, Jack N. Successful defibrillation immediately after the intravascular injection of ropivacaine, 490
Gilbert M-L. See *Chassery C*, jt. auth.
Giovannoni S. See *Pancaro C*, jt. auth.
Girard F. See *Collins S*, jt. auth.
Goldszmidt E, Kern R, Chaput A, Macarthur A. The incidence and etiology of postpartum headaches: a prospective cohort study, 971
Goodwin D. See *Smith AF*, jt. auth.
Goto F. See *Koizuka S*, jt. auth.; *Saito S*, jt. auth.; *Takizawa D*, jt. auth.
Gottschalk A. See *Freitag M*, jt. auth.
Gourlay D. See *Peng PWH*, jt. auth.
Gravenstein D. See *van Oostrom JH*, jt. auth.
Gregório EA. See *Abud TMV*, jt. auth.
Grinevich G. See *Beilin B*, jt. auth.
Gris C. See *Chassery C*, jt. auth.
Grocott HP. See *Corkey WB*, jt. auth.
Grond S. See *Sablotzki A*, jt. auth.
Gully PM. See *Merchant RN*, jt. auth.

H
Habib AS. See *Lacassie HJ*, jt. auth.
Hackett J. See *George RB*, jt. auth.
Haddad F. See *Madi-Jebara S*, jt. auth.
Hadi UM. See *Baraka AS*, jt. auth.
Halpern S. See *Ioscovich A*, jt. auth.
Hamard F, Ferrandiere M, Sauvagnac X, Mangin JC, Fusciardi J, Mercier C, Laffon M. La sédation au propofol permet l'intubation difficile vigile avec le masque laryngé Fastrach™ [Propofol sedation allows awake intubation of the difficult airway with the Fastrach™ LMA], 421
Hamstra SJ. See *Savoldelli GL*, jt. auth.
Hardy D. Relief of pain in acute herpes zoster by nerve blocks and possible prevention of post-herpetic neuralgia, 186
Hare GMT. See *Duggan M*, jt. auth.
Harrison BA. See *Burkle CM*, jt. auth.
Harwood S. See *Wasowicz M*, jt. auth.
Hashimoto H. See *Hirota K*, jt. auth.
Hatano Y. See *Ogawa K*, jt. auth.; *Yamazaki A*, jt. auth.
Hattori H. See *Saitoh Y*, jt. auth.
Hayek G. See *Madi-Jebara S*, jt. auth.
Hayes JA. See *Ames WA*, jt. auth.
Hébert PC. See *Hutton B*, jt. auth.
Hecker K. See *Kunitz O*, jt. auth.
Hemmerling TM, Noiseux N, Basile F, Noël M-F, Prieto I. Awake cardiac surgery using a novel anesthetic technique, 1088
Hemmerling TM. See also *Michaud G*, jt. auth.; *Schmidt J*, jt. auth.
Hendy A. See *Yogendran S*, jt. auth.
Hill SE. See *Lanzinger MJ*, jt. auth.
Hiraoka H. See *Takizawa D*, jt. auth.
Hironaka Y. See *Yamazaki A*, jt. auth.
Hirota K, Kudo M, Kushikata T, Hashimoto H, Matsuki A. Regular use of H_2 blockers reduces the efficacy of roxatidine to control gastric pH and volume, 166
Ho AMH, Soo G, Lee S, Chung DC, Critchley LAH, Karmakar MK. Airway obstruction after peanut aspiration – air trapping is due to airway distension and narrowing (Images in anesthesia), 205
Ho J. See *Chung F*, jt. auth.
Hofer RE, Sprung J, Sarr MG, Wedel DJ. Anesthesia for a patient with morbid obesity using dexmedetomidine without narcotics, 176
Hohlfeld U. See *Bock M*, jt. auth.
Hoka S. See *Inamura M*, jt. auth.; *Kanai A*, jt. auth.; *Okutomi T*, jt. auth.
Horiuchi R. See *Takizawa D*, jt. auth.
Horn EP. See *Freitag M*, jt. auth.
Howes DW, Shelley ES, Pickett W. Colorimetric carbon dioxide detector to determine accidental tracheal feeding tube placement, 428

Hsu J-C, Yang C-Y, See L-C, Liou J-T, Liu F-C, Hwang J-J, Wu W-C, Lui P-W. Propofol ensures a more stable A-line ARX index than thiopental during intubation, 692
Hsu Y-W. See *Cortinez LI*, jt. auth.
Hutton B, Fergusson D, Tinmouth A, McIntyre L, Kmetic A, Hébert PC. Transfusion rates vary significantly amongst Canadian medical centres, 581
Hwang J-J. See *Hsu J-C*, jt. auth.

I

Igarashi H, Obata Y, Nakajima Y, Katoh T, Morita K, Sato S. Syringe pump displacement alters line internal pressure and flow, 685
Imarengiaye C. See *Ward B*, jt. auth.; *Yogendran S*, jt. auth.
Imasogie N. See *Chung F*, jt. auth.
Inamura M, Okamoto H, Kuroiwa M, Hoka S. General anesthesia for patients with Brugada syndrome. A report of six cases, 409
Ioscovich A, Briskin A, Abrahamov A, Halpern S, Zimran A, Elstein D. Uncomplicated outcome after anesthesia for pediatric patients with Gaucher disease, 845
Ioscovich A, Elstein D. Transesophageal echocardiography during Cesarean section in a Marfan's patient with aortic dissection (Images in anesthesia), 737
Iranami H. See *Yamazaki A*, jt. auth.
Irouschek A. See *Schmidt J*, jt. auth.
Ivancinova X. See *Jacka MJ*, jt. auth.
Iwahashi S. See *Ogawa K*, jt. auth.
Iwama H. See *Ohmizo H*, jt. auth.

J

Jack N. See *Gielen M*, jt. auth.
Jacka MJ, Ivancinova X, Gibney RTN. Continuous renal replacement therapy improves renal recovery from acute renal failure, 327
Jacka MJ. See also *Penner RM*, jt. auth.
Jacobsohn E, Lee TWR, Amadeo RJ, Syslak PH, Debrouwere RG, Bell D, Klock PA, Tymkew H, Avidan M, University of Manitoba Health Sciences Centre Cardiac Anesthesia Group. Low-dose intrathecal morphine does not delay early extubation after cardiac surgery, 848
Jankov RP. See *Duggan M*, jt. auth.
Jansen O. See *Baxter AD*, jt. auth.
Jarbo K, Batra YK, Panda NB. Brachial plexus block with midazolam and bupivacaine improves analgesia, 822
Jee D. See *Sung E-G*, jt. auth.
Jha RR. See *Bhatnagar S*, jt. auth.
Joo HS, Naik VN, Savoldelli GL. Parker Flex-Tip™ are not superior to polyvinylchloride tracheal tubes for awake fibreoptic intubations, 297
Joo HS, Wong J, Naik VN, Savoldelli GL. The value of screening preoperative chest *x-rays:* a systematic review, 568
Jullien YR. See *Bocquet JD*, jt. auth.
Jung C-W. See *Kim J-T*, jt. auth.
Jung J-Y. See *Kim J-T*, jt. auth.

K

Kaddoum RN. See *Baraka AS*, jt. auth.
Kalman S. See *Alkaissi A*, jt. auth.
Kanai A, Suzuki A, Hoka S. Rapid injection of epidural mepivacaine speeds the onset of nerve blockade, 281
Karamanlioglu B, Turan A, Memis D, Kaya G, Ozata S, Ture M. Infiltration with ropivacaine plus lornoxicam reduces postoperative pain and opioid consumption, 1047
Kardash KJ, Garzon J, Velly AM, Tessler MJ. Ketorolac analgesia for inguinal hernia repair is not improved by peripheral administration, 613
Karkouti K, McCluskey SA, Evans L, Mahomed N, Ghannam M, Davey R. Erythropoietin is an effective clinical modality for reducing RBC transfusion in joint surgery, 362
Karmakar MK. See *Ho AMH*, jt. auth.
Katoh T. See *Igarashi H*, jt. auth.
Katz RI, Cimino L, Vitkun SA. Preoperative medical consultations: impact on perioperative management and surgical outcome, 697
Kavanagh BP. See *Duggan M*, jt. auth.
Kawamata T. See *Niiyama Y*, jt. auth.
Kawasaki T. See *Ozaki M*, jt. auth.
Kaya G. See *Karamanlioglu B*, jt. auth.
Kaye R. See *Reuben SS*, jt. auth.
Keifer JC. See *Cortinez LI*, jt. auth.
Kent C. See *Cohen SP*, jt. auth.
Kern R. See *Goldszmidt E*, jt. auth.
Khatib M. See *Taha S*, jt. auth.
Kihara S, Yaguchi Y, Taguchi N, Brimacombe JR, Watanabe S. The StyletScope™ is a better intubation tool than a conventional stylet during simulated cervical spine immobilization, 105
Kim C. See *Shin I-W*, jt. auth.
Kim H-J. See *Shin I-W*, jt. auth.
Kim H-S. See *Sung E-G*, jt. auth.
Kim J-A. See *Kim J-T*, jt. auth.

Kim J-T, Jung J-Y, Jung C-W, Kim J-A, Cho H-S, Lee K-H. S-wave in lead III is helpful for the early detection of bupivacaine-induced cardiac depression in frogs, 864
Kim JA, Ahn HJ. Hypobaric spinal anesthesia with 0.2% tetracaine for total joint hip arthroplasy, 958
Kinoshita H. See *Yamazaki A*, jt. auth.
Klock PA. See *Jacobsohn E*, jt. auth.
Kmetic A. See *Hutton B*, jt. auth.
Knirsch W. See *Weiss M*, jt. auth.
Koizuka S, Obata H, Sasaki M, Saito S, Goto F. Systemic ketamine inhibits hypersensitivity after surgery via descending inhibitory pathways in rats, 498
Konvicka JJ, Villamaria FJ. Anesthetic implications of persistent left superior vena cava (Images in anesthesia), 805
Kovarik G. See *Ruiz P*, jt. auth.
Kudo M. See *Hirota K*, jt. auth.
Kumar M. See *Pandey CK*, jt. auth.
Kunitz O, Baumert J-H, Hecker K, Coburn M, Becker T, Zühlsdorff A, Fassl J, Rossaint R. Xenon does not modify mivacurium induced neuromuscular block, 940
Kuroiwa M. See *Inamura M*, jt. auth.
Kushikata T. See *Hirota K*, jt. auth.
Kushimo OT. See *Merah NA*, jt. auth.
Kwon T-D. See *Yoon T-G*, jt. auth.

L

Labrecque P. See *Pavese P*, jt. auth.
Lacassie HJ, Muir HA, Millar S, Habib AS. Perioperative anesthetic management for Cesarean section of a parturient with gestational diabetes insipidus, 733
Laffon M. See *Hamard F*, jt. auth.
Lakra A. See *Pandey CK*, jt. auth.
Lam AM. See *Vavilala MS*, jt. auth.
Langill M. See *Baxter AD*, jt. auth.
Lanzinger MJ, Niklason LE, Shannon M, Hill SE. Use of hemoglobin raffimer for postoperative life-threatening anemia in a Jehovah's Witness, 369
Larrabure P, Pandin P, Vancutsem N, Vandesteene A. Tibial nerve block: evaluation of a novel mid-leg approach in 241 patients, 276
Laupland KB. See *Zygun DA*, jt. auth.
Lecompte T. See *Samama CM*, jt. auth.
LeDez KM, Zbitnew G. Hyperbaric treatment of cerebral air embolism in an infant with cyanotic congenital heart disease, 403
Ledin T. See *Alkaissi A*, jt. auth.
Ledolter J. See *Dexter F*, jt. auth.
Lee G. See *Cook TM*, jt. auth.
Lee H-K. See *Shin I-W*, jt. auth.
Lee J. See *Choi JH*, jt. auth.
Lee K-H. See *Kim J-T*, jt. auth.
Lee S. See *Ho AMH*, jt. auth.
Lee TWR. See *Jacobsohn E*, jt. auth.
Lena P, Martin R. Subdural placement of an epidural catheter detected by nerve stimulation, 618
Lenis S. See *Massicotte L*, jt. auth.
Letoublon C. See *Pavese P*, jt. auth.
Lin C-M. See *Shih C-J*, jt. auth.
Ling FKH. See *Rohan D*, jt. auth.
Liou J-T. See *Hsu J-C*, jt. auth.
Liu F-C. See *Hsu J-C*, jt. auth.
Liu P-W. See *Hsu J-C*, jt. auth.
Lönnqvist P-A. See *Naja Z*, jt. auth.
Luginbühl M, Petersen-Felix S, Zbinden AM, Schnider TW. Xenon does not reduce opioid requirement for orthopedic surgery, 38
Luntley JB. See *Ewen A*, jt. auth.
Lynch J. See *Monaca E*, jt. auth.

M

Macario A. See *Dexter F*, jt. auth.
Macarthur A. See *Goldszmidt E*, jt. auth.
MacLeod DB. See *Cortinez LI*, jt. auth.
Madi-Jebara S, Adaimé C, Yazigi A, Haddad F, Hayek G, Sleilaty G, Antakly M-C. L'analgésie péridurale thoracique et rachidienne ont des effets comparables sur la douleur et la fonction respiratoire après chirurgie thoracique [Thoracic epidural and intrathecal analgesia have similar effects on pain relief and respiratory function after thoracic surgery], 710
Magillo P, Della Rocca M, Campus R, Bava E, Rossi GA, Dodero P. Congenital tracheal stenosis in a boy with Rubinstein-Taybi syndrome (Images in anesthesia), 990
Magnani C. See *Agrò F*, jt. auth.
Magnuson JS. See *Boyce JR*, jt. auth.
Mahajan R. See *Batra YK*, jt. auth.
Mahla ME. See *van Oostrom JH*, jt. auth.
Mahomed N. See *Karkouti K*, jt. auth.
Malone-Tucker S. See *Baxter AD*, jt. auth.
Manabe M. See *Yamashita K*, jt. auth.
Mangin JC. See *Hamard F*, jt. auth.
Martin R. See *Lena P*, jt. auth.
Martins RHG. See *Abud TMV*, jt. auth.
Massicotte L, Sassine M-P, Lenis S, Seal RF, Roy A. Survival rate changes with transfusion of blood products during liver transplantation, 148

Mathew JP. See *Corkey WB*, jt. auth.
Matsuki A. See *Hirota K*, jt. auth.
McAlister FA. See *Finegan BA*, jt. auth.
McCartney CJL. See *Porter JM*, jt. auth.
McCaul C. See *Ames WA*, jt. auth.
McCluskey SA. See *Cooper RM*, jt. auth.; *Karkouti K*, jt. auth.
McCrory A. See *Boyce JR*, jt. auth.
McGuire G. See *Yogendran S*, jt. auth.
McIntyre L. See *Hutton B*, jt. auth.
McLeod A, Roche A, Fennelly M. Case series: Ultrasonography may assist epidural insertion in scoliosis patients, 717
Meier PA. See *Bock M*, jt. auth.
Memis D. See *Karamanlioglu B*, jt. auth.
Merah NA, Wong DT, Ffoulkes-Crabbe DJ, Kushimo OT, Bode CO. Modified Mallampati test, thyromental distance and inter-incisor gap are the best predictors of difficult laryngoscopy in West Africans, 291
Merchant RN, Gully PM. A survey of British Columbia anesthesiologists on a provincial critical incident reporting program, 680
Mercier C. See *Hamard F*, jt. auth.
Michaud G, Trager G, Deschamps S, Hemmerling TM. Monitoring neuromuscular blockade at the vastus medialis muscle using phonomyography, 795
Millar S. See *Lacassie HJ*, jt. auth.
Minville V. See *Chassery C*, jt. auth.
Mishra S. See *Bhatnagar S*, jt. auth.
Misra MN, Pullani AJ, Mohamed ZU. Prevention of PONV by acustimulation with capsicum plaster is comparable to ondansetron after middle ear surgery, 485
Mizumoto K. See *Ogawa K*, jt. auth.
Mohamed ZU. See *Misra MN*, jt. auth.
Monaca E, Trojan S, Lynch J, Doehn M, Wappler F. Broken guide wire – a fault of design?, 801
Moretti EW. See *Cortinez LI*, jt. auth.
Morewood GH. See *Engen DA*, jt. auth.
Morgan PJ. See *Savoldelli GL*, jt. auth.
Moriarty DC. See *Rohan D*, jt. auth.
Morita K. See *Igarashi H*, jt. auth.
Mort M. See *Smith AF*, jt. auth.
Motsch J. See *Bock M*, jt. auth.
Moussa A. See *Taha S*, jt. auth.
Muenster T. See *Schmidt J*, jt. auth.
Muir HA. See *Lacassie HJ*, jt. auth.
Mullen JB. See *Duggan M*, jt. auth.
Muntazar M. See *Tilak M*, jt. auth.
Murakawa M. See *Saitoh Y*, jt. auth.
Muslim OA. See *Bell DD*, jt. auth.

N

N'takpe N. See *Bocquet JD*, jt. auth.
Nagi ON. See *Batra YK*, jt. auth.
Naik VN. See *Joo HS*, jt. auth.; *Savoldelli GL*, jt. auth.
Naja Z, Ziade MF, Lönnqvist P-A. Nerve stimulator guided pudendal nerve block decreases posthemorrhoidectomy pain, 62
Nakabata K. See *Yamazaki A*, jt. auth.
Nakajima H. See *Saitoh Y*, jt. auth.
Nakajima Y. See *Igarashi H*, jt. auth.
Nakayama M. See *Fujii Y*, jt. auth.
Namiki A. See *Niiyama Y*, jt. auth.
Nathan-Denizot N. See *Samama CM*, jt. auth.
Navkar DV. See *Pandey CK*, jt. auth.
Newman MF. See *Corkey WB*, jt. auth.
Niiyama Y, Kawamata T, Shimizu H, Omote K, Namiki A. The addition of epidural morphine to ropivacaine improves epidural analgesia after lower abdominal surgery, 181
Niklason LE. See *Lanzinger MJ*, jt. auth.
Ning X. See *Chung F*, jt. auth.
Nishibara F. See *Saito S*, jt. auth.
Nishikawa K. See *Saito S*, jt. auth.; *Takizawa D*, jt. auth.
Nishiyama T. See *Yamashita K*, jt. auth.
Noël M-F. See *Hemmerling TM*, jt. auth.
Noiseux N. See *Hemmerling TM*, jt. auth.
Nolan JP. See *Cook TM*, jt. auth.
Normandin L. See *Collins S*, jt. auth.

O

O'Connor Jr CJ, Stix MS, Valade DR. Glottic insertion of the ProSeal™ LMA occurs in 6% of cases: a review of 627 patients, 199
O'Connor P. See *Finegan BA*, jt. auth.
O'Reilly D. See *Parlow JL*, jt. auth.
Obara S. See *Ohmizo H*, jt. auth.
Obata H. See *Koizuka S*, jt. auth.; *Saito S*, jt. auth.
Obata Y. See *Igarashi H*, jt. auth.
Odkvist LM. See *Alkaissi A*, jt. auth.
Ogata M. See *Ozaki M*, jt. auth.
Ogawa K, Tokinaga Y, Iwahashi S, Mizumoto K, Hatano Y. Halothane does not protect against vascular injury in isolated cerebral and mesenteric arteries, 870
Ohmizo H, Obara S, Iwama H. Mechanism of injection pain with long and long-medium chain triglyceride emulsive propofol, 595
Okamoto H. See *Inamura M*, jt. auth.
Okutomi T, Saito M, Amano K, Fukuoka K, Hoka S. Labour analgesia guided by echocardiography in a parturient with primary dilated cardiomyopathy, 622

Olivieri L, Plourde G. Prolonged (more than ten hours) neuromuscular blockade after cardiac surgery: report of two cases, 88
Omote K. See *Niiyama Y*, jt. auth.
Orlandi M. See *Zura A*, jt. auth.
Ozaki M, Ogata M, Tokoyama T, Kawasaki T, Shigematsu A, Sata T. Prevention of thrombosis with prostaglandin E_1 in a patient with catastrophic antiphospholipid syndrome, 143
Ozata S. See *Karamanlioglu B*, jt. auth.

P
Pacey JA. See *Cooper RM*, jt. auth.
Pal R. See *Pandey CK*, jt. auth.
Pancaro C, Giovannoni S, Toscano A, Peduto VA. Apnea during induction of anesthesia with sevoflurane is related to its mode of administration, 591
Panda NB. See *Jarbo K*, jt. auth.
Pandey CK, Raza M, Ranjan R, Singhal V, Kumar M, Lakra A, Navkar DV, Agarwal A, Singh RB, Singh U, Singh PK. Intravenous lidocaine 0.5 $mg.kg^{-1}$ effectively suppresses fentanyl-induced cough, 172
Pandey CK, Singhal V, Kumar M, Lakra A, Ranjan R, Pal R, Raza M, Singh U, Singh PK. Gabapentin provides effective postoperative analgesia whether administered pre-emptively or post-incision, 827
Pandin P. See *Larrabure P*, jt. auth.
Park CM. See *Choi JH*, jt. auth.
Park S-H. See *Sung E-G*, jt. auth.
Parlow JL, Steele RG, O'Reilly D. Low dose intrathecal morphine facilitates early extubation after cardiac surgery: results of a retrospective continuous quality improvement audit, 94
Pavese P, Bonadona A, Beaubien J, Labrecque P, Pernod G, Letoublon C, Barnoud D. FVIIa corrects the coagulopathy of fulminant hepatic failure but may be associated with thrombosis: a report of four cases, 26
Peduto VA. See *Pancaro C*, jt. auth.
Peirovy J. See *Ward B*, jt. auth.
Peng PWH, Castano ED. Survey of chronic pain practice by anesthesiologists in Canada, 383
Peng PWH, Tumber PS, Gourlay D. Review article: Perioperative pain management of patients on methadone therapy, 513
Penner RM, Brindley PG, Jacka MJ. Best evidence in critical care medicine: Stress ulcer prophylaxis in the intensive care unit: damned if you do, damned if you don't. Commentary, 650
Penner RM, Jacka MJ, Brindley PG. Best evidence in critical care medicine: Medical therapy of acute colonic pseudo-obstruction: a moving experience. Commentary, 542
Pernod G. See *Pavese P*, jt. auth.
Perreault M. See *Baxter AD*, jt. auth.
Persaud D. See *Szerb J*, jt. auth.
Peters GE. See *Boyce JR*, jt. auth.
Petersen-Felix S. See *Luginbühl M*, jt. auth.
Pétroz GC. See *Ames WA*, jt. auth.
Peyton M. See *Tilak M*, jt. auth.
Phillips-Bute B. See *Corkey WB*, jt. auth.
Pickett W. See *Howes DW*, jt. auth.
Piguet V. See *Samer CF*, jt. auth.
Plourde G. See *Olivieri L*, jt. auth.
Poisson D. See *Rosencher N*, jt. auth.
Pope C. See *Smith AF*, jt. auth.
Porter JM, McCartney CJL, Chan VWS. Needle placement and injection posterior to the axillary artery may predict successful infraclavicular brachial plexus block: a report of three cases, 69
Prabhu A. See *Chung F*, jt. auth.; *Yogendran S*, jt. auth.
Prieto I. See *Hemmerling TM*, jt. auth.
Pullani AJ. See *Misra MN*, jt. auth.

Q
Qu R. See *Duggan M*, jt. auth.

R
Raiza ACP. See *Abud TMV*, jt. auth.
Ralph E. See *Bhutani M*, jt. auth.
Ranjan R. See *Pandey CK*, jt. auth.
Rashiq S. See *Finegan BA*, jt. auth.
Raza M. See *Pandey CK*, jt. auth.
Ree R. See *Brooks P*, jt. auth.
Reeve BK, Cook DJ, Babineau D, Scholes LC, Buckley DN. Prophylactic Diclectin® reduces the incidence of postoperative vomiting, 55
Regan C. See *Rohan D*, jt. auth.
Rempf C. See *Freitag M*, jt. auth.
Reuben SS, Ablett D, Kaye R. High dose nonsteroidal anti-inflammatory drugs compromise spinal fusion, 506
Riand N. See *Weber A*, jt. auth.
Ridarch A. See *Bocquet JD*, jt. auth.
Robertson KM. See *Cortinez LI*, jt. auth.
Roche A. See *McLeod A*, jt. auth.
Rogers D. See *Tilak M*, jt. auth.
Rohan D, Buggy DJ, Crowley S, Ling FKH, Gallagher H, Regan C, Moriarty DC. Increased incidence of postoperative cognitive

dysfunction 24 hr after minor surgery in the elderly, 137
Rose SH. See *Burkle CM*, jt. auth.
Rosen D. See *Brooks P*, jt. auth.
Rosencher N, Poisson D, Albi A, Aperce M, Barré J, Samama CM. Two injections of erythropoietin correct moderate anemia in most patients awaiting orthopedic surgery, 160
Rossaint R. See *Kunitz O*, jt. auth.
Rossi GA. See *Magillo P*, jt. auth.
Roy A. See *Massicotte L*, jt. auth.
Roy WL. See *Ames WA*, jt. auth.
Rubin Y. See *Ewen A*, jt. auth.
Ruel M. See *Collins S*, jt. auth.
Ruiz P, Kovarik G. Lung mechanics and gas exchange in one-lung ventilation following contralateral resection, 986
Rüsch D, Eberhart L, Biedler A, Dethling J, Apfel CC. Prospective application of a simplified risk score to prevent postoperative nausea and vomiting, 478
Ryu H-G. See *Yoon T-G*, jt. auth.

S

Sablotzki A, Starzmann W, Scheubel R, Grond S, Czeslick EG. Selective pulmonary vasodilation with inhaled aerosolized milrinone in heart transplant candidates, 1076
Saito M. See *Okutomi T*, jt. auth.
Saito S, Nishihara F, Akihiro T, Nishikawa K, Obata H, Goto F, Yuki N. Landiolol and esmolol prevent tachycardia without altering cerebral blood flow, 1027
Saito S. See also *Koizuka S*, jt. auth.; *Takizawa D*, jt. auth.
Saitoh Y, Hattori H, Sanbe N, Nakajima H, Akatu M, Murakawa M. Delayed recovery of vecuronium neuromuscular block in diabetic patients during sevoflurane anesthesia, 467
Saldanha JC. See *Abud TMV*, jt. auth.
Samama CM, Djoudi R, Lecompte T, Nathan-Denizot N, Schved J-F, AFSSaPS Expert Group. Perioperative platelet transfusion: recommendations of the Agence française de sécurité sanitaire des produits de santé (AFSSaPS) 2003, 30
Samama CM. See also *Rosencher N*, jt. auth.
Samer CF, Piguet V, Dayer P, Desmeules JA. Polymorphisme génétique et interactions médicamenteuses : leur importance dans le traitement de la douleur [Genetic polymorphism and drug interactions: their importance in the treatment of pain], 806
Samii K. See *Chassery C*, jt. auth.
Sanbe N. See *Saitoh Y*, jt. auth.
Sandham JD. See *Zygun DA*, jt. auth.
Sarantopoulos C. See *Fassoulaki A*, jt. auth.
Sarr MG. See *Hofer RE*, jt. auth.
Sasaki M. See *Koizuka S*, jt. auth.
Sassine M-P. See *Massicotte L*, jt. auth.
Sata T. See *Ozaki M*, jt. auth.
Sato E. See *Takizawa D*, jt. auth.
Sato S. See *Igarashi H*, jt. auth.
Sauvagnac X. See *Hamard F*, jt. auth.
Savoldelli GL, Naik VN, Hamstra SJ, Morgan PJ. Barriers to use of simulation-based education, 944
Savoldelli GL. See also *Joo HS*, jt. auth.
Scheubel R. See *Sablotzki A*, jt. auth.
Schmidt J, Irouschek A, Muenster T, Hemmerling TM, Albrecht S. A priming technique accelerates onset of neuromuscular blockade at the laryngeal adductor muscles, 50
Schnider TW. See *Luginbühl M*, jt. auth.
Scholes LC. See *Reeve BK*, jt. auth.
Schulte am Esch J. See *Freitag M*, jt. auth.
Schved J-F. See *Samama CM*, jt. auth.
Seal RF. See *Massicotte L*, jt. auth.
See JJ, Wong DT. Unilateral subcutaneous emphysema after percutaneous tracheostomy, 1099
See L-C. See *Hsu J-C*, jt. auth.
Shannon M. See *Lanzinger MJ*, jt. auth.
Sharpe MD. See *Bhutani M*, jt. auth.
Shelley ES. See *Howes DW*, jt. auth.
Shephard DAE. The changing pattern of anesthesia, 1954-2004: a review based on the content of the Canadian Journal of Anesthesia on its first half-century, 238
Shichor TM. See *Ames WA*, jt. auth.
Shigematsu A. See *Ozaki M*, jt. auth.
Shih C-J, Doufas AG, Chang H-C, Lin C-M. Recurrent seizure activity after epidural morphine in a post-partum woman, 727
Shimizu H. See *Niiyama Y*, jt. auth.
Shimogai M. See *Yamazaki A*, jt. auth.
Shin I-W, Sohn J-T, Kim H-J, Kim C, Lee H-K, Chang KC, Chung Y-K. Etomidate attenuates phenylephrine-induced contraction in isolated rat aorta, 927
Siafaka I. See *Fassoulaki A*, jt. auth.
Siddik-Sayyid S. See *Taha S*, jt. auth.
Singh PK. See *Pandey CK*, jt. auth.
Singh RB. See *Pandey CK*, jt. auth.
Singh U. See *Pandey CK*, jt. auth.
Singhal AK. See *Bhatnagar S*, jt. auth.
Singhal V. See *Pandey CK*, jt. auth.

Skouteri I. See *Fassoulaki A*, jt. auth.
Slappendel R. See *Gielen M*, jt. auth.
Sleilaty G. See *Madi-Jebara S*, jt. auth.
Slivar S. See *Baxter AD*, jt. auth.
Smith AF, Pope C, Goodwin D, Mort M. Communication between anesthesiologists, patients and the anesthesia team: a descriptive study of induction and emergence, 915
Smith J. See *Tilak M*, jt. auth.
Snider DD, Clarke D, Finucane BT. The "BURP" maneuver worsens the glottic view when applied in combination with cricoid pressure, 100
Sohn J-T. See *Shin I-W*, jt. auth.
Somma J. See *Cortinez LI*, jt. auth.
Song I-H. See *Sung E-G*, jt. auth.
Soo G. See *Ho AMH*, jt. auth.
Souter MJ. See *Vavilala MS*, jt. auth.
Speakman M. See *Ames WA*, jt. auth.
Splinter WM. See *Castanelli DJ*, jt. auth.
Sprung J. See *Hofer RE*, jt. auth.
Standl TG. See *Freitag M*, jt. auth.
Starzmann W. See *Sablotzki A*, jt. auth.
Steele RG. See *Parlow JL*, jt. auth.
Steinbrecher UP. See *Tung D*, jt. auth.
Stix MS. See *O'Connor Jr CJ*, jt. auth.
Strate T. See *Freitag M*, jt. auth.
Sung E-G, Jee D, Song I-H, Kim H-S, Bae JH, Park S-H. Propofol attenuates Kupffer cell activation during hypoxia-reoxygenation, 921
Suzuki A. See *Kanai A*, jt. auth.
Syslak PH. See *Jacobsohn E*, jt. auth.
Szalai JP. See *Angle P*, jt. auth.
Szerb J, Persaud D. Long current impulses may be required for nerve stimulation in patients with ischemic pain, 963

T

Taguchi N. See *Kihara S*, jt. auth.
Taha S, Siddik-Sayyid S, Alameddine M, Wakim C, Dahabra C, Moussa A, Khatib M, Baraka A. Propofol is superior to thiopental for intubation without muscle relaxants, 249
Taillefer M-C, Denault AY. Cerebral near-infrared spectroscopy in adult heart surgery: systematic review of its clinical efficacy, 79
Takizawa D, Nishikawa K, Sato E, Hiraoka H, Yamamoto K, Saito S, Horiuchi R, Goto F. A dopamine infusion decreases propofol concentration during epidural blockade under general anesthesia, 463
Tang SLT. See *Angle P*, jt. auth.
Tanswell AK. See *Duggan M*, jt. auth.
Tasman AJ. See *Bock M*, jt. auth.
Terblanche OC. See *Finucane BT*, jt. auth.
Tessler MJ. See *Kardash KJ*, jt. auth.
Thompson D. See *Angle P*, jt. auth.
Tilak M, Smith J, Rogers D, Fox P, Muntazar M, Peyton M. Successful near-term pregnancy outcome after repair of a dissecting thoracic aortic aneurysm at 14 weeks gestation, 1071
Tinmouth A. See *Hutton B*, jt. auth.
Tokinaga Y. See *Ogawa K*, jt. auth.
Tokoyama T. See *Ozaki M*, jt. auth.
Toscano A. See *Pancaro C*, jt. auth.
Trager G. See *Michaud G*, jt. auth.
Trojan S. See *Monaca E*, jt. auth.
Tumber PS. See *Peng PWH*, jt. auth.
Tung D, Yoshida EM, Wang CSK, Steinbrecher UP. Severe desflurane hepatotoxicity after colon surgery in an elderly patient, 133
Turan A. See *Karamanlioglu B*, jt. auth.
Ture M. See *Karamanlioglu B*, jt. auth.
Tymkew H. See *Jacobsohn E*, jt. auth.

U

University of Manitoba Health Sciences Centre Cardiac Anesthesia Group. See *Jacobsohn E*, jt. auth.

V

Valade DR. See *O'Connor Jr CJ*, jt. auth.
Van der Westhuizen J. See *Cook TM*, jt. auth.
van Oostrom JH, Mahla ME, Gravenstein D. The Stealth Station™ Image Guidance System may interfere with pulse oximetry, 379
Vancutsem N. See *Larrabure P*, jt. auth.
VanDenKerkhof EG. See *Engen DA*, jt. auth.
Vandesteene A. See *Larrabure P*, jt. auth.
Vavilala MS, Souter MJ, Lam AM. Hyperemia and impaired cerebral autoregulation in a surgical patient with diabetic ketoacidosis, 323
Vegas A. See *Wasowicz M*, jt. auth.
Veillette Y, Dion D, Altier N, Choinière M. The treatment of chronic pain in Québec: a study of hospital-based services offered within anesthesia departments, 600
Velly AM. See *Kardash KJ*, jt. auth.
Villamaria FJ. See *Konvicka JJ*, jt. auth.
Vitkun SA. See *Katz RI*, jt. auth.
von Engelu K. See *Bock M*, jt. auth.

W

Wakim C. See *Taha S*, jt. auth.
Walsh MT. See *Burkle CM*, jt. auth.
Wang CSK. See *Tung D*, jt. auth.

Wang L. See *Engen DA*, jt. auth.
Wappler F. See *Monaca E*, jt. auth.
Ward B, Imarengiaye C, Peirovy J, Chung F. Cognitive function is minimally impaired after ambulatory surgery, 1017
Wasowicz M, Vegas A, Borger MA, Harwood S. Bivalirudin anticoagulation for cardiopulmonary bypass in a patient with heparin-induced thrombocytopenia, 1093
Watanabe S. See *Kihara S*, jt. auth.
Weber A, Fournier R, Riand N, Gamulin Z. Duration of analgesia is similar when 15, 20, 25 and 30 mL of ropivacaine 0.5% are administered via a femoral catheter, 390
Wedel DJ. See *Hofer RE*, jt. auth.
Weiss M, Balmer C, Dullenkopf A, Knirsch W, Gerber AC, Bauersfeld U, Berger F. Intubation depth markings allow an improved positioning of endotracheal tubes in children, 721
Wieczorek PM, Carli F. Obstructive sleep apnea uncovered after high spinal anesthesia: a case report, 761
Wong D. See *Yuan H*, jt. auth.
Wong DT. See *See JJ*, jt. auth.; *Merah NA*, jt. auth.
Wong J. See *Joo HS*, jt. auth.; *Yogendran S*, jt. auth.
Worrall JMA. See *Duggan M*, jt. auth.
Wright DR. See *Cortinez LI*, jt. auth.
Wu W-C. See *Hsu J-C*, jt. auth.

Y

Yaguchi Y. See *Kihara S*, jt. auth.
Yamamoto K. See *Takizawa D*, jt. auth.
Yamashita K, Nishiyama T, Yokoyama T, Abe H, Manabe M. Cardiac output by PulseCO™ is not interchangeable with thermodilution in patients undergoing OPCAB, 530
Yamazaki A, Kinoshita H, Shimogai M, Fujii K, Nakahata K, Hironaka Y, Iranami H, Hatano Y. Landiolol attenuates tachycardia in response to endotracheal intubation without affecting blood pressure, 254
Yang C-Y. See *Hsu J-C*, jt. auth.
Yardeni IZ. See *Beilin B*, jt. auth.
Yazbeck-Karam V. See *Baraka AS*, jt. auth.
Yazigi A. See *Madi-Jebara S*, jt. auth.
Yogendran S, Prabhu A, Hendy A, McGuire G, Imarengiaye C, Wong J, Chung F. Vital capacity and patient controlled sevoflurane inhalation result in similar induction characteristics, 45
Yokoyama T. See *Yamashita K*, jt. auth.
Yoon T-G, Chang H-W, Ryu H-G, Kwon T-D, Bahk J-H. Use of a neck brace minimizes double-lumen tube displacement during patient positioning, 413
Yoshida EM. See *Tung D*, jt. auth.
Young ET. Dexmedetomidine sedation in a pediatric cardiac patient scheduled for MRI, 730
Yuan H, Chung F, Wong D, Edward R. Current preoperative testing practices in ambulatory surgery are widely disparate: a survey of CAS members, 675
Yuki N. See *Saito S*, jt. auth.

Z

Zbinden AM. See *Luginbühl M*, jt. auth.
Zbitnew G. See *LeDez KM*, jt. auth.
Ziade MF. See *Naja Z*, jt. auth.
Zimran A. See *Ioscovich A*, jt. auth.
Zühlsdorff A. See *Kunitz O*, jt. auth.
Zuker RM. See *Ames WA*, jt. auth.
Zura A, Doyle DJ, Orlandi M. Use of the Aintree intubation catheter® in a patient with an unexpected difficult airway, 646
Zygun DA, Laupland KB, Fick GH, Sandham JD, Doig CJ. Limited ability of SOFA and MOD scores to discriminate outcome: a prospective evaluation in 1,436 patients, 302
Zygun DA. See also *Bell DD*, jt. auth.